

Invitation to Submit Information for VOIP Phone System Installation and Support

Issue Date: 3/4/2020

RFI Due Date: 4/1/2020, 2:00 p.m.

Question Submission: Questions should be sent via email to Jordan Beveridge (beveridj@hsd.k12.or.us) by 3/17/2020, 2:00 p.m.. An addendum with answers to questions will be posted.

Proposal Posting and Updates Site: https://www.hsd.k12.or.us/domain/1260 Check this site often for updates or addendums.

Project Name: VOIP Phone System Installation and Support

Description of Need:

The Hillsboro School District (HSD) is currently reviewing the options for replacement of the current VOIP phone system that is in place at 39 sites. The district is also building additional schools and acquiring additional Direct Inward Dial (DID) numbers. This will require reviewing and restructuring the currently assigned DID and internal extension assignments for the district to allow for expansion well into the future. HSD will also be seeking information about available ongoing support options. After reviewing potential options available to the district, Hillsboro School District will be looking to procure a new VOIP system through an RFP or allowable State/Consortium Contract.

District Information:

HSD is the fourth-largest public school district in the state of Oregon with 35 schools serving more than 20,000 students from preschool through twelfth grade.

The District passed a bond measure by its patrons on November 8, 2017. The District is currently in the midst of building and planning to build additional sites that includes two new Elementary Schools and one new Transportation and Maintenance Support site.

District Sites

- Current
 - 4 High Schools

- 4 Middle Schools
- o 24 Elementary Schools
- 2 Multi-Level Schools
- 2 Alternative Education School Sites
- 3 Administrative & Support Sites
 - Data center is located in the Administrative Center
- See Appendix A for site names and addresses
- Future
 - o June 2020
 - 1 Transportation / Maintenance Support Site
 - July 2021
 - 1 New Elementary School
 - July 2022
 - 1 New Elementary School

Current phone system:

Hillsboro School District currently has a Cisco Unified IP telecommunications system serving roughly 2,500 stations across 39 District locations. The District has determined that major components of the existing system are end-of-life, obsolete, and no longer supported. This obsolescence requires the District to either upgrade the existing systems or replace them with new products.

See Appendix B for additional relevant phone system information by site. This includes phone counts by current model and other information.

Current network infrastructure:

The data network uses Cisco, Juniper, and HPE / Aruba routers and switches. The District has centralized voicemail and all of the telecom systems are networked together to allow 4 digit dialing between all phones on the system. PSTN connections for the facilities are primarily provided through PRI service. The District currently has a total of three PRIs installed centrally at the District Office.

The District currently has 39 locations connected with a private fiber Wide Area Network (WAN). All District buildings are connected with a wide area network that provides the needed data network connections. It is the District's intent to obtain a new telecommunications system that will continue to allow direct connectivity and enhanced communications. The District network can provide Power over Ethernet (POE) and Quality of Service (QOS) features and capabilities. The District has also prepared the network to provide the needed IP addressing and subnet approach. Vendors should assume the District's data network will provide the needed POE and QOS capabilities for VoIP Deployment. The data network is a municipal dark fiber deployment

and network connections to schools are a minimum of 10Gbps. There are no bandwidth or latency issues within the data network at this time.

The District has standardized on the following network devices at each school:

Device	Model
Router / L3 Switch	Juniper EX3400 / QFX5110
L2 PoE Switch	HPE / Aruba 2530 / 2540 / 2930F
Indoor AP	Cisco 2702i / 2802i

Current email system: Microsoft Office365/Outlook

Submission of information:

- 1. All proposals should be submitted in two formats
 - a. 1 digital submission should be bundled into a single PDF document and emailed to: beveridj@hsd.k12.or.us
 - b. 4 paper copies of the submission should also be delivered to:

Jordan Beveridge Hillsboro School District 3083 Northeast 49th Place Hillsboro, OR 97124

- 2. All proposals should be formatted with the below sections in the provided order:
 - a. Section 1: Table of Contents
 - b. Section 2: Company Background & Information
 - i. General company background
 - ii. Contacts for this RFI
 - iii. Background of installing VOIP systems of the same or larger size and complexity
 - iv. Background of providing ongoing support to VOIP systems of the same or larger size and complexity
 - c. Section 3: Responses to Areas of Interest section
 - d. Section 4: Proposed System Information
 - i. Highlight other features and functions of additional information concerning the proposed system
 - e. Section 5: Network Infrastructure
 - i. Provide optimal network configuration and architecture
 - f. Section 6: Support Options Available

- g. Section 7: Budgetary Pricing Information
 - i. Not a quote, for budgeting information
 - ii. Include budgetary total cost for all needed phones and equipment
 - iii. Include budgetary total cost for installation and programming of all phones and equipment
 - iv. Include budgetary cost for multiyear support
 - v. Provide any options for purchasing through a state contract, reciprocal government agency contract or consortium purchase

Areas of Interest:

Provide information about the options available for each of the areas of interest.

- 1. Explain phone system application integrations
 - a. Smartphone Application and Integration
 - i. Smartphone App Availability
 - 1. Receive calls
 - 2. Make calls
 - 3. Check Voicemail
 - ii. Authentication on App
 - 1. Azure authentication option
 - 2. Other authentications options
 - iii. How are users provisioned
 - iv. User adjustable dial plan settings
 - 1. Example ring at desk first then to smartphone app if turned on
 - b. Desktop/Laptop Integration
 - i. Soft phone on computer
 - ii. Computer software, application or web app
 - 1. Click to Dial
 - 2. Drag/Drop Transfer
 - 3. Check Voicemail
 - 4. Directory Lookup
 - 5. Customize Groups
 - 6. Line Status Indicators
 - iii. Compatibility with Windows, MAC, and / or Chrome OS
 - iv. Authentication for software, application or web app
 - 1. Azure authentication option
 - 2. Other authentication options
 - v. How are users provisioned
- 2. Describe phone model options including features and options for the below areas and needs.
 - a. Basic Phone Waiting Area
 - i. Speakerphone capable
 - b. Classroom Phone


- i. Speakerphone capable
- c. Office / Administrative
 - i. Speakerphone capable
 - ii. Expandable for additional lines
- d. Conference Room Speakerphone
 - i. 360 microphone
- e. Hearing-aid compatible options
 - i. Coil in handset earpiece
 - ii. Port for neckloop
 - iii. Bluetooth capable
- f. Wall mounting options for each phone model
- g. Headset options

3. Safety Features

- a. E911
 - i. Send email/text when 911 calls are made
- b. Phone capability to interact with Access Control System
 - i. Answer door intercom and unlock
- c. Ability for the system to initiate separate Lockout or Lockdown
 - Connect to school or building paging system to deliver or trigger automatic page
 - ii. Connect to access control system to trigger door lock or unlock
- d. Panic Line button or other feature that connects caller directly to identified building or security staff
- e. Button or feature that triggers call recording
 - i. On demand initiation
 - ii. Specific lines always recorded
 - iii. Access to recordings
- f. Malicious Call Identification
 - i. Easy access to reports that provide information on identified calls
 - ii. Button or feature to tag identified calls
- g. Paging to Speakerphone
 - i. Override volume setting
- 4. Call Center / Call Queuing functions
 - a. Ability to interface one or more phones to be part of a call center
 - i. Queue calls
 - ii. Sign additional phones/users in as needed to take calls based on volume
 - iii. Deliver message to users that call the call center number
 - iv. Deliver message to users in queue/on hold
 - 1. Automated wait time estimate for those on hold
 - b. Describe options and availability

- 5. Voicemail
 - a. Available outside
 - i. Call in
 - ii. App
 - iii. Online
 - b. Voicemail forwarded to email
 - i. Integrated / unified
 - 1. Message waiting indicator light synchronized with email
 - c. Voicemail to text via email
- 6. Conferencing / Conference Bridge options
- 7. Connection to Paging Systems
 - a. FXO port options
 - b. SIP options
 - c. See Appendix C for current paging system by site
- 8. Hide specific users from directory
 - a. Select different number for directory
 - b. Customizable groupings
- 9. Fax
 - a. Digital / eFax options
 - b. Analog fax machine support (ATA / gateway)

Appendix A- District Sites and Addresses- (https://www.hsd.k12.or.us/Page/5297)



Appendix B- Current Phone System Information

Phone Models by Site

Site	7911 (Basic)	7942 (Class)	7962 (Office)	7936 (Conf)	Total Phones
Administrative Center	5	172	26	3	206
Butternut Creek ES	2	34	2	0	38
Brookwood ES	2	37	2	0	41
Brown MS	3	64	4	0	71
Century HS	6	156	4	0	166
Evergreen MS	5	78	3	0	86
Eastwood ES	3	37	2	0	42
Facilities	5	34	3	1	43
Free Orchards ES	6	48	2	0	56
Farmington View ES	1	29	2	0	32
Glencoe HS	5	147	3	0	155
Groner ES	2	28	2	0	32
WL Henry ES	2	41	2	0	45
Hillsboro HS	8	158	2	0	168
Indian Hills ES	3	33	2	0	38
Imlay ES	6	48	2	0	56
Jackson ES	2	35	2	0	39
Ladd Acres ES	9	38	3	0	50
Liberty HS	5	163	2	0	170
Lincoln Street ES	4	48	2	0	54
Lenox ES	4	33	2	0	39
		1		1	-

Site	7911 (Basic)	7942 (Class)	7962 (Office)	7936 (Conf)	Total Phones
Minter Bridge ES	2	38	3	0	43
Miller Education Center East	1	26	1	0	28
Miller Education Center West	3	30	2	0	35
McKinney ES	3	37	3	0	43
Mooberry ES	2	38	2	0	42
North Plains ES	4	33	3	0	40
Orenco ES	6	47	2	0	55
Patterson ES	5	48	2	0	55
Peter Bosco CC	1	13	1	0	15
Poynter MS	3	77	3	0	83
Quatama ES	6	47	2	0	55
Rosedale ES	5	39	2	0	46
Reedville ES	2	28	2	0	32
South Meadows MS	11	89	3	0	103
Tobias ES	4	43	2	0	49
Transportation	3	17	7	0	27
Witch Hazel ES	6	51	2	0	59
West Union ES	2	31	2	0	35
Totals:	157	2193	118	4	2472

Phone System Information by Site

Site	ATA 186	VG Model	FXO	FXS	PRI
Administrative Center	0	2921 (x2)	4	20	3
Butternut Creek ES	0	2821	4	4	
Brookwood ES	0	2821	4	4	
Brown MS	0	2851	4	4	
Century HS	0	3825	4	8	
Evergreen MS	0	2851	4	4	
Eastwood ES	0	2851	4	4	
Facilities	0	2821	4	8	
Free Orchards ES	0	2851	4	4	
Farmington View ES	0	2821	4	4	
Glencoe HS	0	3825	4	8	
Groner ES	0	2821	4	4	
WL Henry ES	0	2821	4	4	
Hillsboro HS	0	3825	4	8	
Indian Hills ES	0	2821	4	4	
Imlay ES	0	2851	4	4	
Jackson ES	0	2821	4	4	
Ladd Acres ES	0	2851	4	4	
Liberty HS	4	3825	4	12	
Lincoln Street ES	0	2851	4	4	
Lenox ES	0	2821	4	4	
Minter Bridge ES	0	2821	4	4	
Miller Education Center East	0	2821	4	4	

Site	ATA 186	VG Model	FXO	FXS	PRI
Miller Education Center West	0	2821	4	4	
McKinney ES	0	2821	4	4	
Mooberry ES	0	2821	4	4	
North Plains ES	0	2821	4	4	
Orenco ES	0	2851	4	4	
Patterson ES	0	2851	4	4	
Peter Bosco CC	0	2821	4	4	
Poynter MS	0	2851	4	4	
Quatama ES	0	2851	4	4	
Rosedale ES	0	2851	4	4	
Reedville ES	0	2821	4	4	
South Meadows MS	0	3825	4	4	
Tobias ES	0	2851	4	4	
Transportation	0	2821	4	12	
Witch Hazel ES	0	2851	4	4	
West Union ES	0	2821	4	4	

Appendix C: Paging Systems

All paging systems currently connect via an FXO port to the current phone system.

Site	System	Version
Administrative Center	NA	
Butternut Creek ES	Rauland Telecenter ICS (rack-mount)	0590
Brookwood ES	Rauland Telecenter ICS (rack-mount)	0590
Brown MS	Rauland Telecenter ICS (rack-mount)	0642
Century HS	Simplex 5100	
Evergreen MS	Rauland TCU	0590
Eastwood ES	Rauland TCU	
Facilities	NA	
Free Orchards ES	Simplex 5100	
Farmington View ES	Rauland Telecenter ICS (desk-mount)	0642
Glencoe HS	Rauland TCU	
Groner ES	Rauland Telecenter ICS (rack-mount)	0642
WL Henry ES	Rauland Telecenter ICS (desk-mount)	0642
Hillsboro HS	Valcom	
Indian Hills ES	Rauland Telecenter ICS (rack-mount)	0553
Imlay ES	Simplex 5100	
Jackson ES	Rauland Telecenter ICS (rack-mount)	0642
Ladd Acres ES	Rauland Telecenter ICS (desk-mount)	0553
Liberty HS	Simplex 5100	
Lincoln Street ES	Simplex 5100	
Lenox ES	Rauland Telecenter ICS (desk-mount)	0642

Site	System	Version
Minter Bridge ES	Rauland Telecenter ICS (desk-mount)	0642
Miller Education Center East	NA	
Miller Education Center West	Bogen PCM2000	
McKinney ES	Rauland Telecenter ICS (rack-mount)	0553
Mooberry ES	Rauland Telecenter ICS (desk-mount)	0642
North Plains ES	Rauland Telecenter ICS (rack-mount)	0642
Orenco ES	Simplex 5100	
Patterson ES	Simplex 5100	
Peter Bosco CC	NA	
Poynter MS	Rauland Telecenter ICS (rack-mount)	0642
Quatama ES	Simplex 5100	
Rosedale ES	Simplex 5100	
Reedville ES	Rauland Telecenter ICS (desk-mount)	0642
South Meadows MS	Simplex 5100	
Tobias ES	Rauland Telecenter ICS (rack-mount)	0642
Transportation	NA	
Witch Hazel ES	Bogen PCM2000	
West Union ES	Rauland Telecenter ICS (rack-mount)	0642